

Review article

International Journal of Research in Pharmacy and Science

Status of Biomedical Waste Management System: A Review

Lingaraju H G*¹, Megha M¹ and Uma S M²

¹Division of Environmental Sciences, Department of Water and Health, Faculty of Life Sciences, JSS Academy of Higher Education and Research, Mysuru– 570015, India. E-Mail: <u>lingarajuhg@jssuni.edu.in</u>
²School of Planning and Architecture, University of Mysore, Karnataka, India

ABSTRACT

Medical care is important for our life, health and wellbeing. But the waste generated from medical activities can be hazardous, toxic and even lethal because of their high potential for diseases transmission. The hazardous and toxic parts of waste comprise infectious, medical and radioactive material as well as sharps constitute a grave risk to mankind and the environment, if these are not properly treated / disposed. This article intends to describe various health care wastes and its controlling, as creating good practices for proper handling and disposal of health care waste is an important part of the health care delivery system. The aim of this paper is to highlight the present condition of medical waste and a review on scientific method of hospital waste management.

KEY WORDS: Bio-medical waste, hospitals, toxic, health, environment, dispose

*Corresponding author Lingaraju H G Department of Water and Health Academy of Higher Education and Research Mysuru– 570015, Karnataka, India. E-Mail: lingarajuhg@jssuni.edu.in

1. INTRODUCTION

The Government of India (notification, 2016) specifies that the Bio-medical Waste Management is an integral part in cleanliness and maintenance activities of hospital. This can be only possible by adopting a wide number of activities such as collection, segregation, processing, treatment and disposal of the medical waste. Today, one of the biggest challenges that India faces is to change the attitudes of the operators of the medical care providers to incorporate good health care waste management practices in their day to day routine. World Health Organization (WHO) states that 85% of hospital wastes are non-hazardous, whereas 10% are infectious and 5% are non-infectious but they are included in hazardous wastes. This range is dependent on the total amount of waste generated¹. The best BMW management (BMWM) methods aim at avoiding generation of waste or recovering as much as waste as possible, rather than disposing. Therefore, the various methods of BMW disposal,

according to their desirability, are prevent, reduce, reuse, recycle, recover, treat, and lastly dispose. Hence, the waste should be tackled at source rather than "end of pipe approach"².

| Types of Biomedical Waste | Description |
|---------------------------------|---|
| Human Anatomical Waste | Human tissues, organs, body parts and fetus below the viability |
| | period (as per the Medical Termination of Pregnancy Act 1971, |
| | amended from time to time). |
| Animal Anatomical Waste | Experimental animal carcasses, body parts, organs, tissues, including |
| | the waste generated from the animals used in experiments or testing |
| | in veterinary hospitals or colleges or animal houses. |
| Solid waste | Items contaminated with blood, body fluids like dressings, cotton |
| | swabs and bags containing residual or discarded blood and blood |
| | components. |
| Expired or Discarded Medicines | Pharmaceutical waste like antibiotics and cytotoxic drugs. |
| Chemical Liquid Waste | Liquid waste generated due to use of chemicals in production of |
| | biological or discarded disinfectants, Silver X-ray film developing |
| | liquid, discarded formalin, infected secretions, aspirated body fluids, |
| | liquid from laboratories and floor washings, cleaning, housekeeping |
| | and disinfecting activities etc. |
| Microbiology and Biotechnology | Blood bags, Laboratory cultures, stocks or specimens of |
| laboratory waste | microorganisms, live or attenuated vaccines, Human and animal cell |
| | cultures used in research, industrial laboratories, production of |
| | biological and residual toxins. |
| Contaminated Waste (Recyclable) | Wastes generated from disposable items such as tubing, bottles, |
| | intravenous tubes and sets, catheters, urine bags, syringes and gloves. |
| Waste sharps including Metals | Needles, syringes with fixed needles, needles from needle tip cutter |
| | or burner, scalpels, blades or any other contaminated sharp object |
| | that may cause puncture and cuts. |

Table 1: Different types of biomedical waste

1.1 Definition

Biomedical waste, also known as, the infectious waste or the medical waste is defined as "any waste, which is generated during the diagnosis, treatment or immunization of human beings or animals or research activities pertaining to or in the production or testing of biological or in the health camps³.

1.2 Types of bio-medical waste

According to the Bio-medical Waste Management Rules, 2016, the different types of biomedical waste are as follows^{4,5}.

1.3 Sources of bio-medical waste

Hospitals produce waste, which is increasing over the years in its amount and type^{6,7}.

| Major Sources | Minor Sources |
|---|--|
| •Government hospitals/private hospitals/nursing homes/ dispensaries. | Physicians/ dentists' clinics |
| •Primary health centers. | Animal houses/slaughterhouses. |
| •Medical colleges and research centers/paramedic | |
| services. | |
| •Veterinary colleges and animal researchcenters. | |
| •Blood banks/mortuaries/autopsy centers. | |
| •Biotechnology institutions. | |

Table 2: Sources of biomedical waste.

1.4 Waste generation

Studies carried out in India, shows generation of bio-medical waste in the range of 0.3 to 1.0 kg/bed/day of which around 50% of the wastes is collected as infectious wastes. However, effective segregation of these human & anatomical wastes would reduce the quantity of infectious waste needing incineration/deep burial⁷.

2 HEALTH HAZARDS RELATED TO MEDICAL WASTE

2.1 Injuries and accidents

There is a risk of injuries related to medical waste handling and carrying by waste hauler and/or cleaner. Akter⁹ reported that, there were several incidents of injury due to exposure tomedical wastes inside or outside of hospital premises. These were as follows:

- ✓ Hands cut due to handling broken glass.
- ✓ Injured by needle and fingers permanently damaged/ became curved.
- \checkmark Right hands became paralyzed by the injury by a needle.

- \checkmark Two legs became paralyzed due to injury by the needle.
- ✓ Skin diseases on legs and hands/ body.
- ✓ Pus due to injury sometimes.

2.2 Infectious medical waste risk

Infectious waste contains different kind of pathogens or organisms that is potential for infection or disease if it is not properly disposed⁸.

| Bacterial | Tetanus, gas gangrene, anthrax, cholera, enteric fever, shigellosis, plague etc. |
|-------------------|--|
| Viral | Various hepatitis, poliomyelitis, HIV-infections, HBV, TB, STD, rabies etc. |
| Parasitic | Amoebiasis, Giardiasis, Ascariasis, Ankylomastomiasis, Taeniasis, echinococcosis, |
| | malaria, filariasis etc. |
| Fungal infections | Various fungal infections like candidiasis, cryptococcoses, coccidiodomycosis etc. |

| Fable 3: | Examples | of different | pathogen and | diseases | associated | with | biomedical | waste. |
|----------|----------|--------------|--------------|----------|------------|---------|-------------|--------|
| able 5. | Examples | of uniterent | pathogen and | unscases | associateu | ** 1111 | Diometrical | masic |

2.3 Environmental hazards related to medical waste

The following are environmental impacts associated with the improper disposal of medicalwastes¹⁰.

- 1. Pollutants from medical waste (e.g. heavy metals and PCBs) are persistent in the environment.
- 2. Public nuisance (e.g. odors, scenic view, block the walkway, aesthetics, etc.
- 3. Combination of both degradable and non-degradable waste increase the rate of habitat destruction due to the increasing number of sites necessary for disposal of wastes.
- 4. Plastic-bags, plastic containers, if not properly destroyed may contaminate the soil and reduces the chance for water percolation into the soil during precipitation.
- 5. Open air burning does not guarantee proper incineration and releases toxic fumes(dioxin) into the atmosphere from the burning of plastics i.e., PCB's.
- 6. Open dumping cause's higher risks of disease transmission, acute pollution problems and open access to scavengers and animals.

2.4 Microorganisms associated with health care waste

Several pathogenic bacteria, including *Pseudomonas* spp., *Lactobacillus* spp., *Staphylococcus* spp., *Micrococcus* spp., *Kocuriaspp., Brevibacillus*spp., *Micro bacterium oxydans* and *Propionibacterium acnes*, were identified and reported from the various medical wastes¹¹. In addition, pathogenic viruses such as nor viruses and hepatitis B virus have been also detected in human tissue

wastes¹². Medical waste should be carefully controlled and monitored to prevent nosocomial infection associated with the exposure to these wastes¹³.

The following groups of persons are at the risk of healthcare waste: doctors, nurses, sanitary staff and hospital maintenance personnel; In and out-patients receiving treatment in healthcare facilities as well as their visitors¹⁴.

The lack of regional legislation concerning segregation, treatment and final disposal of waste may expose different populations to risks of transmission of infectious diseases associated with multi-resistant microorganism¹⁵.

3. MANAGEMENT OF BIO-MEDICAL WASTE

The key steps that are used in the management of the biomedical waste are waste minimization, segregation, collection, storage, transportation, treatment and disposal¹⁶. Apart from these, non-infectious wastes should be segregated as a separate category and these wastes shall not be mixed with other categories.



Fig. 1: Steps of Bio-medical Waste Management^{4 17}.

4. TREATMENT AND DISPOSAL TECHNOLOGIES OF BMW

Based on Bio-medical Waste (Management and Handling) Rules 1998, notified under the Environment Protection Act, 1986 by the Ministry of Environment and Forest (Government of India) the following are the procedures that needs to be followed for safe disposal of waste¹⁸.

4.1 Segregation of waste

Segregation is the essence of BMWM and should be done at the source of generation of biomedical waste e.g. all patient care activity areas, diagnostic services areas, operation theaters, labor rooms, treatment rooms etc. The responsibility of segregation should be with the generator of biomedical waste i.e. doctors, nurses, technicians etc. (medical and paramedical personnel). The biomedical waste should be segregated as per categories mentioned in the rules¹⁹.

Infectious waste must be kept separately in lidded bins lined with polyethylene bags wherever needed. Under no circumstances should the infections waste be mixed with non-infectious bags. The bag lining the bin should be only three fourth full to ensure that the waste does not spill out. While carrying the bag containing infectious waste, it must be sealed²⁰.

| Category | Waste class | Type of container | Color |
|----------|-----------------------------------|-----------------------------|-------------|
| 1 | Human anatomical waste | Plastic | Yellow |
| 2 | Animal waste | -do- | -do- |
| 3 | Microbiology and | -do- | Yellow/red |
| | Biotechnology waste | | |
| 4 | Waste sharp | Plastic bag, puncture proof | Blue/white |
| | | containers | Translucent |
| 5 | Discarded medicines and Cytotoxic | Plastic bags | Black |
| | waste | | |
| 6 | Solid(biomedical waste) | -do- | Yellow |
| 7 | Solid (plastic) | Plastic bag puncture proof | Blue/white |
| | | containers | Translucent |
| 8 | Incineration waste | Plastic bag | Black |
| 9 | Chemical waste | -do- | -do- |

Table 4: Type of container and color code for collection of bio-medical waste.

4.2 Collection of bio-medical waste

Collection of bio-medical waste should be done as per Bio-medical waste (Management and Handling) Rules. At ordinary room temperature the collected waste should not be stored for more than 24 hours²¹.

4.3 Transportation

Within hospital, waste routes must be designated to avoid the passage of waste through patient care areas. Separate time should be earmarked for transportation of bio-medical waste to reduce chances of its mixing with general waste²².

Trolleys or carts should be thoroughly cleaned and disinfected in the event of any spillage. The wheeled containers should be so designed that the waste can be easily loaded. Hazardous biomedical waste needing transport to a long distance should be kept in containers and should have proper labels.

The transport is done through desiccated vehicles specially constructed for the purpose having fully enclosed body, lined internally with stainless steel or aluminum to provide smooth and impervious surface which can be cleaned. The driver's compartment should be separated from the load compartment with a bulkhead²³.

4.4 Treatment of hospital waste

The objective of treatment of waste is as follows:

- \checkmark To disinfect the waste so that it is no longer the source of infection.
- \checkmark To reduce the volume of the waste.

4.5 Disposal of bio medical waste

The standard procedures mentioned in the Bio-medical waste (Management and Handling) Rules 1998, for different categories are as follows.

4.5.1 Deep burial

The waste under category 1 and 2 only can be accorded deep burial and onlyin cities having less than 5 lakh population²⁴.

4.5.2 Autoclave treatment

The waste under category 3, 4, 6 and 7 can be treated by these techniques²⁵. An autoclave is a large pressure cooker that uses high temperatures and steam to deeply penetrate all materials and kill any microorganisms. Depending on the type and amount of waste you will need to sterilize, you can purchase an appropriately sized autoclave for your facility. These appliances range from 100 liters to 4,000+ liters in volume for bulk waste treatment. Modern autoclaves are also automated to minimize human involvement and therefore reduce needle-stick injuries and contamination²⁶.

4.5.3 Microwave treatment

A microwave treatment system, like an autoclave, also uses heat to decontaminate medical waste. These systems work best for waste that is not 100% dry or solid, as the moisture allows the heat to penetrate deeper, and the steam sterilizes.

4.5.4 Shredding

The plastic (IV bottles, IV sets, syringes, catheters etc.), sharps (needles, blades, glass etc.,) should be shredded but only after chemical treatment/microwaving/autoclaving. Needle destroyers can be used for disposal of needles directly without chemical treatment.

4.5.5 Secured landfill

The incinerator ash, discarded medicines, cytotoxic substances and solid chemical waste should be treated by this option. It is the terminal method of disposal of ashes after incineration. Disposal of biomedical waste ash in landfill May cause contamination of groundwater as metals are not destroyed during incineration.

4.5.6 Incineration

Incineration of medical waste should be performed in a controlled facility to ensure complete combustion and minimize any negative effects for the environment. The advantage of incinerators is that it can be operated in any weather. The incineration process destroys pathogens and reduces the waste volume and weight but leaves a solid material called biomedical waste ash as residue.

Demerits of incinerators are it is expensive to build, maintain and operate. The air-borne by-product of incineration is detrimental to the ozone layer. The air-borne particles have noxious smell and vermin tend to congregate in the facility, potentially spreading disease throughout the area. High energy is required for the process and requires skilled personnel and continuous maintenance.

4.5.7 Plasma pyrolysis

Direct use of waste products as combustion fuel or their indirect processing into another kind of fuel helps in harnessing the energy contents. In this context pyrolysis has been found as a related form of thermal treatment wherein high temperatures are used for treating waste materials with limited supply of oxygen.

5. PROBLEMS RELATED TO BIO-MEDICAL WASTE

A major issue related to current bio- medical waste management in many hospitals is that the implementation of bio-waste regulation is unsatisfactory as some hospitals are disposing of waste in a haphazard, improper and in discriminate manner 28 .

Lack of segregation practices, results in mixing of hospital wastes with general waste making the whole waste stream hazardous. In appropriate segregation ultimately results in an incorrect method of waste disposal. Inadequate bio-medical waste management thus will cause environmental pollution, unpleasant smell, growth and multiplication of vectors like insects, rodents and worms and may lead to the transmission of diseases like typhoid, cholera, hepatitis and AIDS throughinjuries from syringes and needles contaminated with human²⁹.

Various communicable diseases, which spread through water, sweat, blood, body fluids and contaminated organs, are important to be prevented. The bio medical waste scattered in and around the hospitals invites flies, insects, rodents, cats and dogs that are responsible for the spread of communication disease like plague and rabies. Rag pickers in the hospital, sorting out the garbage areat a risk of getting tetanus and HIV infections.

It becomes primary responsibility of health administrators to manage hospital waste in most safe and eco-friendlymanner¹⁷. The problem of bio-medical waste disposal in the hospitals and other health care establishments has become an issue of increasing concern, prompting hospital administration to see new ways of scientific, safe and cost-effective management of the waste, and keeping their personnel informed about the advances in this area.

The need of proper hospital waste management system is of prime importance and is an essential component of quality assurance in hospitals⁶.

REFERENCE

- 1. Glenn Mc R and Garwal, R. Clinical waste in Developing Countries: An analysis with a Case Study of India and a Critique of the Basle TWG Guidelines, 1999.
- 2. Datta P, Mohi G K and Chander J. Biomedical waste management in India: *Critical appraisal. J Lab Physicians.*,2018; 10. 6-14.
- 3. Pandit N B, Mehta H K, Kartha G P and Choudhary SK. Management of bio-medical waste: Awareness and practices in a district of Gujarat. *Indian J Public Health.*, 2005; 49:245–7.
- 4. Chetna S, Raj K S, Prerna. A Review on Biomedical Waste Management. *International Journal of Advance Engineering and Research Development.*, 2017;4(6).
- Kishore J, Goel P, Sagar B and Joshi T K. Awareness about biomedical waste management and infection control among dentists of a teaching hospital in New Delhi, India. *Indian J Dent Res.*, 2000; 11: 157–61.
- 6. Mathur, Sangeeta P and Anand S S. Need of Biomedical Waste Management System in Hospitals An Emerging issue A Review. *Current World Environment.*, 2012; 7(1): 117-124.
- Singh V P, Biswas G and Sharma J J. Biomedical Waste Management An Emerging Concern in Indian Hospitals Indian. *Journal of Forensic Medicine & Toxicology.*, 2007-12; 1(1).

- 8. Athar H, Shivani Ga, Sanjay K K. Biomedical waste management in India. International Journal of Advance Research in Science and Engineering., 2018; 7(1).
- Akter N. Medical Waste Management: A Review. Research reports 2000. Health studies, Vol-XXVIII, 370-394.
- 10. Tsakona, M, Anagnostopoulou E and Gidarakos E. Bio medical waste management and toxicity evaluation: a case study. *Waste Management.*, 2007; 27: 912-920.
- Manyele S. V and Anicetus H. Management of medical waste in Tanzanian hospitals. *Tanzania Health Res. Bull*, 2006; 8(3): 177-182.
- 12. Silva C E, Hoppe A E, Ravanello M M and Mello N. Medical waste management in the south of Brazil. *Waste Management*, 2005; 25(6): 600–605.
- Palanisamy P, Sivaraman S, Babu S P and Athimoolam A. Biomedical waste management for health care industry. *International Journal of Biological & Medical Research*. 2011; 2(1): 472-486.
- 14. Babanyara Y Y, Ibrahim D B, Garba T, Bogoro A G and Abubakar M Y. Poor Medical Waste Management (MWM) Practices and Its Risks to Human Health and the Environment: A Literature Review. *International Journal of Health and Medical Engineering.*, 2013; 7(11).
- 15. Patil D and ShekdarA V. Health-care waste management in India. *Journal of Environmental Management.*, 2001; 63: 211–220.
- 16. Vanesh M, Dwivedi S M, Hassan M A and Misra R P. Knowledge, Attitude, and Practices about Biomedical Waste Management among Healthcare Personnel: A Cross Sectional Study. *Indian J. Community Med.*, 2011; 36(2): 143-145.
- 17. Mandal SK and Dutta J. Integrated Biomedical Waste Management Plan for Patna City. *India Journal.*, 2009; 6(2): 01-25.
- Tiwari, Anurag, Kadu and Prashant. Biomedical Waste Management Practices in India-A Review, 2014.
- 19. Prem Kumar and KetemaTG.Review of Bio-medical waste management in India. *South -Asian Journal of Multidisciplinary Studies.*, 2016; 4(4).
- 20. Shinee E, Gomobojav E, Nishimura A, Hamajima N and Ito K.(2008): Healthcare waste management in the capital city of Mongolia. *Waste Management.*, 2008; 28: 435-441.
- Sawalem M, Selic E and Herbell JD. Bio medical waste management in Libya: a case study. 2009; 29: 1370-1375.

- 22. Rasheed, S, Iqbal S and Baig L.A. Hospital waste management in the teaching hospitals of Karachi. J. Pak. Med. Assoc., 2005; 55 (5): 192–195.
- 23. Srivastava J N. A report of National Seminar on Hospital Waste Management. A project of Command Hospital (Air Force) Bangalore; New Delhi: 2000; 12–13.
- 24. Rao R R K and Sharma V R. Biomedical Waste Management: An Infrastructural Survey of Hospitals, *MJAFI*.,2004; 60: 379-382.
- 25. Askarian M, Vakili M and Kabir G. Hospital waste management status in university hospitals of the Fars province, Iran. *Int. J. Environ. Health Res.*, 2004; 14: 295–305.
- 26. Patil G V and Pokhrel K. Biomedical solid waste management in an Indian hospital: a case study *Waste Management.*,2004; 25: 592–599.
- 27. Hassan MM, Ahmed SA, Rahman KA and Biswas TK. Pattern of medical waste management: existing scenario in Dhaka City, Bangladesh. *BMC Public Health.*, 2008.
- 28. Shalini S and Chauhan SVS. Assessment of bio-medical waste management in three apex Government hospitals of Agra, *Journal of Environmental Biology*.,2008; 29(2): 159-162.
- 29. Surjit S K.Biomedical Waste Classification and Prevailing Management Strategies, Proceedings of the International Conference on Sustainable Solid Waste Management., 2007; 169-175.